

93729 HPL 750W 240V 12/CS 1/SKU



Product features and benefits

- Ultra compact filament design (UCF) for high lumen output
- Unique gas fill which improves light output and minimizes risk of arc-out
- Special heat sink base for maximum durability in high temperature applications
- Reinforced pinch seal for extra mechanical strength
- Foam packaging for easier handling and installation
- Optimum system performance with TP22H socket

Areas of application

- Stage and theatre
- Studio, TV and film
- Architecture & Architainment

Technical data

General product information

Product Number	54614		
Product Name HPL750240 (UCF) 240V 12/CS 1/SKU			
Ordering Abbreviation	93729 HPL 750W 240V 12/CS 1/SKU		
Brand Name	OSRAM		
Family Brand Name	HPL		
General Description	750 watt, tungsten halogen, HPL series		
Application	Stage & Studio		

Electrical data

Nominal Wattage	750 W
Nominal Voltage	240 V
Type of Current	AC

Light technical data

Luminous Flux	19750 lm
Light Center Length - LCL (in)	2.352 in
Light Center Length - LCL (mm)	60.3 mm
Color Temperature	3200 К
Color Rendering Index	100
Average Rated Life	300 h

Physical attributes

Base	G9.5 with Heat Sink		
Bulb Shape	Т6		
Maximum Overall Length (in)	4.1 in		
Maximum Overall Length (mm)	104 mm		
Length l (in)	4.1 in		
Length l (mm)	104 mm		
Length l max. (in)	4.1 in		
Length l max. (mm)	104 mm		
Diameter d (in)	0.748 in		
Diameter d (mm)	19.00 mm		
Distance a (in)	2.352 in		
Distance a (mm)	60.3 mm		
Filament	4-C8		
Reflector Coating	19.00		

Product datasheet

Additional product data

Operating Position	Any
Total surface inside 1: appearance (cold)	Clear
Class	C (gas)
Lamp Type	SINGLE END

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54614	4050300654225	Folding box (SKU)	1		
54614	4050300654232	Shipping box (Case)	12	6.9 in x 5.9 in x 5.7 in	2.1 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.